

Scan results for wsdistricts.co/wilshire-metropolitan-district-no-1-2

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Mon Feb 16, 2026

#	Element	Relevant	Successes	Failures	Score
1	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	4	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

```
4 
```

#	Element	Relevant	Successes	Failures	Score
2	Breadcrumb navigation regions are essential for user orientation. If not appropriately tagged, screen reader users will not know that such an option exists on the page and will face more difficulties browsing around.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
3	Elements with emphasis importance should have the emphasis role. If not, screen reader users may not understand the emphasis of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
4	An iframe needs a label that describes its purpose to screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
5	Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="skip-link screen-reader-text" id="wp-skip-link" href="#wp--skip-link--target">Skip to content</a>
```

#	Element	Relevant	Successes	Failures	Score
6	Using role="application" is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
7	Discounted prices often appear next to the original and distinguished with visual cues like strikethroughs or color changes. Both prices must also be conveyed by screen readers in a way that enables users to differentiate between the values, ensuring they can understand when a discount is applied.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text.	Yes	8	0	100

Code snapshots of successful elements

1 `Web Content Accessibility Guidelines (WCAG) version 2.1, Level AA`

2 `three (3) business days`

3 `Phone:`

4 `Address:`

5 `Thursday, November 12, 2026`

6 `Microsoft Teams`

7 `How to Attend`

8 `Join by Phone`

#	Element	Relevant	Successes	Failures	Score
9	If content remains visible on the screen but assigned <code>aria-hidden="true"</code> , it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users.	Yes	244	0	100

Code snapshots of successful elements

```
1 <div class="a11y-responsive a11y-toolbar ltr default standard-location"><ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-
```

```
2 <ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span-
```

```
3 <li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" -
```

```
4 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" aria-hidden="true"></span></button>
```

```
5 <li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Toggle Font size</span><span class="aticon aticon-font" aria-h-
```

```
6 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Toggle Font size</span><span class="aticon aticon-font" aria-hidden="true"></span></button>
```

```
7 <div class="wp-site-blocks"><header class="wp-block-template-part"> <div class="wp-block-group alignwide has-base-background-color has-background has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="padding-top:20px;p-
```

8 `<header class="wp-block-template-part"> <div class="wp-block-group alignwide has-base-background-color has-background has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="padding-top:20px;padding-bottom:20px"> <div cl...`

9 `<div class="wp-block-group alignwide has-base-background-color has-background has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="padding-top:20px;padding-bottom:20px"> <div class="wp-block-group alignwide is-content...`

10 `<div class="wp-block-group alignwide is-content-justification-space-between is-layout-flex wp-container-core-group-is-layout-b585a4aa wp-block-group-is-layout-flex"> <div class="wp-block-group is-layout-flex wp-container-core-group-is-layout-fbcf6490...`

#	Element	Relevant	Successes	Failures	Score
10	When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.	Yes	12	3	80

Code snapshots of successful elements

```
1 <div id="simple-banner" class="simple-banner" style=""><div class="simple-ba
nner-text"><span>WSDM Managers office is close in observance of Martin Luthe
r King Jr Day. If this is an emergency, please call 719-447-4840</span></div
><button aria-label="C...
```

```
2 <div class="simple-banner-text"><span>WSDM Managers office is close in obser
vance of Martin Luther King Jr Day. If this is an emergency, please call 719
-447-4840</span></div>
```

```
3 <span>WSDM Managers office is close in observance of Martin Luther King Jr D
ay. If this is an emergency, please call 719-447-4840</span>
```

```
4 <button aria-label="Close" id="simple-banner-close-button" class="simple-ban
ner-button">⌵ </button>
```

```
5 <div class="wp-block-group is-layout-flow wp-container-core-group-is-layout-
47e5a185 wp-block-group-is-layout-flow"></div>
```

```
6 <button aria-haspopup="dialog" aria-label="Open menu" class="wp-block-naviga
tion__responsive-container-open" data-wp-on--click="actions.openMenuOnClick"
data-wp-on--keydown="actions.handleMenuKeydown"><svg width="24" height="24"
xmlns="http://www.w3...
```

```
7 <svg width="24" height="24" xmlns="http://www.w3.org/2000/svg" viewBox="0 0
24 24" aria-hidden="true" focusable="false"><path d="M4 7.5h16v1.5H4z"></pat
h><path d="M4 15h16v1.5H4z"></path></svg>
```

```
8 <button aria-label="Close menu" class="wp-block-navigation__responsive-container-close" data-wp-on--click="actions.closeMenuOnClick"><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" width="24" height="24" aria-hidden="true" focusable="fals...
```

```
9 <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" width="24" height="24" aria-hidden="true" focusable="false"><path d="m13.06 12 6.47-6.47-1.06-1.06L12 10.94 5.53 4.47 4.47 5.53 10.94 12l-6.47 6.47 1.06 1.06L12 13.06l 6.47 6.47 1.06-1.06L13....
```

```
10 <div class="simple-banner simple-banner-text" style="display:none !important"></div>
```

Code snapshots of failed elements

```
1 <hr class="wp-block-separator has-alpha-channel-opacity">
```

```
2 <p></p>
```

```
3 <body></body>
```

#	Element	Relevant	Successes	Failures	Score
11	Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose.	Yes	2	0	100

Code snapshots of successful elements

```
1 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" aria-hidden="true"></span></button>
```

```
2 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Toggle Font size</span><span class="aticon aticon-font" aria-hidden="true"></span></button>
```

#	Element	Relevant	Successes	Failures	Score
12	If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.	Yes	2	9	18

Code snapshots of successful elements

```
1 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" aria-hidden="true"></span></button>
```

```
2 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Toggle Font size</span><span class="aticon aticon-font" aria-hidden="true"></span></button>
```

Code snapshots of failed elements

```
1 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Team</span></a>
```

```
2 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">History</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Careers</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Privacy Policy</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Terms and Conditions</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Contact Us</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Facebook</span></a>
```

```
8 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Instagram</span></a>
```

```
9 <a class="wp-block-navigation-item__content" href="#"><span class="wp-block-navigation-item__label">Twitter/X</span></a>
```

#	Element	Relevant	Successes	Failures	Score
13	A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
14	Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="skip-link screen-reader-text" id="wp-skip-link" href="#wp--skip-link--target">Skip to content</a>
```

#	Element	Relevant	Successes	Failures	Score
15	Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning <code>aria-current='page'</code> to the link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
16	Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.	Yes	35	0	100

Code snapshots of successful elements

```
1 <a href="https://wsdistricts.co/" class="custom-logo-link" rel="home"></a>
```

```
2 <a class="wp-block-navigation-item__content" href="http://wsdistricts.co/" title=""><span class="wp-block-navigation-item__label">Home</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/accessibility/" title=""><span class="wp-block-navigation-item__label">Accessibility</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/contact-us/" title=""><span class="wp-block-navigation-item__label">Contact</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/services/" title=""><span class="wp-block-navigation-item__label">Services</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/elections-info/" title=""><span class="wp-block-navigation-item__label">Elections</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/events/" title=""><span class="wp-block-navigation-item__label">Events</span></a>
```

```
8 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/testimonials/" title=""><span class="wp-block-navigation-item__label">Testimonials</span></a>
```

9 `Report an Accessibility Issue`

10 `Service Plan`

#	Element	Relevant	Successes	Failures	Score
17	Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	35	0	100

Code snapshots of successful elements

```
1 <a href="https://wsdistricts.co/" class="custom-logo-link" rel="home"></a>
```

```
2 <a class="wp-block-navigation-item__content" href="http://wsdistricts.co/" title=""><span class="wp-block-navigation-item__label">Home</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/accessibility/" title=""><span class="wp-block-navigation-item__label">Accessibility</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/contact-us/" title=""><span class="wp-block-navigation-item__label">Contact</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/services/" title=""><span class="wp-block-navigation-item__label">Services</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/elections-info/" title=""><span class="wp-block-navigation-item__label">Elections</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/events/" title=""><span class="wp-block-navigation-item__label">Events</span></a>
```

```
8 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/testimonials/" title=""><span class="wp-block-navigation-item__label">Testimonials</span></a>
```

9 `Report an Accessibility Issue`

10 `Service Plan`

#	Element	Relevant	Successes	Failures	Score
18	In most cases, using <code>role=menu</code> on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
19	In most cases, using <code>role=menubar</code> on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. role="menuitem" should be used for menu items in menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
21	Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Make sure that no element has an autofocus attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
25	Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	If a field is marked as required only through visual cues, but lacks the required attribute or <code>aria-required="true"</code> , screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
29	Using an <code><article></code> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
30	A breadcrumb region presents a trail of links showing the user's current page in relation to higher-level pages on a site. Without a label, it may be announced by screen readers simply as "navigation", making it hard to distinguish from other navigation regions on the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	Screen readers rely on accurate tagging and labeling to provide necessary context. If an element that does not contain navigation links is tagged as a navigation landmark, screen reader users may lose orientation and find the page's structure difficult to understand.	Yes	3	1	75

Code snapshots of successful elements

```
1 <nav style="font-style:normal;font-weight:400;" class="has-small-font-size is-vertical wp-block-navigation is-layout-flex wp-container-core-navigation-is-layout-ea0cb840 wp-block-navigation-is-layout-flex" aria-label="About About"><ul style="font-sty...
```

```
2 <nav style="font-style:normal;font-weight:400;" class="has-small-font-size is-vertical wp-block-navigation is-layout-flex wp-container-core-navigation-is-layout-ea0cb840 wp-block-navigation-is-layout-flex" aria-label="Privacy Privacy"><ul style="font...
```

```
3 <nav style="font-style:normal;font-weight:400;" class="has-small-font-size is-vertical wp-block-navigation is-layout-flex wp-container-core-navigation-is-layout-ea0cb840 wp-block-navigation-is-layout-flex" aria-label="Social Media Social Media"><ul s...
```

Code snapshots of failed elements

```
1 <nav class="is-responsive items-justified-right wp-block-navigation is-horizontal is-content-justification-right is-layout-flex wp-container-core-navigation-is-layout-cca85a86 wp-block-navigation-is-layout-flex" aria-label="Footer Navigation Menu" da...
```

#	Element	Relevant	Successes	Failures	Score
32	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <main class="wp-block-group is-layout-flow wp-block-group-is-layout-flow" id="wp--skip-link--target"> <div class="wp-block-group has-global-padding is-layout-constrained wp-block-group-is-layout-constrained"> <div style="height: var(--wp--preset--spac...
```

#	Element	Relevant	Successes	Failures	Score
33	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <main class="wp-block-group is-layout-flow wp-block-group-is-layout-flow" id="wp--skip-link--target"> <div class="wp-block-group has-global-padding is-layout-constrained wp-block-group-is-layout-constrained"> <div style="height: var(--wp--preset--spac...
```

#	Element	Relevant	Successes	Failures	Score
34	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
36	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
37	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 
```

#	Element	Relevant	Successes	Failures	Score
38	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	3	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

#	Element	Relevant	Successes	Failures	Score
39	Text alternatives must provide accurate descriptions of the image. Incorrect text alternatives, such as filenames or other placeholder values, may cause screen reader users to either miss essential information or hear unnecessary content that disrupts navigation.	Yes	3	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

#	Element	Relevant	Successes	Failures	Score
40	When non-graphical elements are marked up as images, screen reader users may misunderstand the intended purpose of the content.	Yes	3	0	100

Code snapshots of successful elements

1 ``

2 ``

3 ``

#	Element	Relevant	Successes	Failures	Score
41	A slider should be operable with a single pointer	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items.	Yes	8	0	100

Code snapshots of successful elements

```
1 <ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span...
```

```
2 <ul class="wp-block-navigation__container is-responsive items-justified-right wp-block-navigation"><li class=" wp-block-navigation-item menu-item menu-item-type-custom menu-item-object-custom menu-item-home wp-block-navigation-link"><a class="wp-bloc...
```

```
3 <ul class="wp-block-navigation__container is-responsive items-justified-right wp-block-navigation"><li class=" wp-block-navigation-item menu-item menu-item-type-post_type menu-item-object-page wp-block-navigation-link"><a class="wp-block-navigation-i...
```

```
4 <ul class="wp-block-navigation__container is-responsive items-justified-right wp-block-navigation"><li class=" wp-block-navigation-item menu-item menu-item-type-post_type menu-item-object-page wp-block-navigation-link"><a class="wp-block-navigation-i...
```

```
5 <ul class="wp-block-navigation__container is-responsive items-justified-right wp-block-navigation"><li class=" wp-block-navigation-item menu-item menu-item-type-post_type menu-item-object-page wp-block-navigation-link"><a class="wp-block-navigation-i...
```

```
6 <ul style="font-style:normal;font-weight:400;" class="wp-block-navigation__container has-small-font-size is-vertical wp-block-navigation has-small-font-size" aria-label="About"><li class="has-small-font-size wp-block-navigation-item wp-block-navigati...
```

```
7 <ul style="font-style:normal;font-weight:400;" class="wp-block-navigation__container has-small-font-size is-vertical wp-block-navigation has-small-font-size" aria-label="Privacy"><li class="has-small-font-size wp-block-navigation-item wp-block-naviga...
```

```
8 <ul style="font-style:normal;font-weight:400;" class="wp-block-navigation__c
ontainer has-small-font-size is-vertical wp-block-navigation has-small-font-
size" aria-label="Social Media"><li class="has-small-font-size wp-block-navi
gation-item wp-block-n...
```

#	Element	Relevant	Successes	Failures	Score
45	Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="en-US"><head><meta http-equiv="origin-trial" content="A7vZI3v+Gz
7JfuRo1KNM4Aff6zaGuT7X0mf3wtoZTnKv6497cVMnhy03KDqX7kBz/q/iidW7srW31oQbBt4Vhg
oAAACUeyJvcmlnaW4iOiJodHRwczovL3d3dy5nb29nbGUuY29tOjQ0MyIsImZlYXR1cmUiOiJEaX
NhYmxlVGhpcmRQYXJ0eVN0...
```

#	Element	Relevant	Successes	Failures	Score
46	The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
47	A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <title>Wilshire Metropolitan District No. 1-2 - WSDM Managers</title>
```

#	Element	Relevant	Successes	Failures	Score
49	Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <title>Wilshire Metropolitan District No. 1-2 - WSDM Managers</title>
```

#	Element	Relevant	Successes	Failures	Score
50	A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
51	Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
52	Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
53	Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
54	The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
55	Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
56	If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	Yes	10	0	100

Code snapshots of successful elements

```
1 <th scope="col">Meeting type</th>
```

```
2 <th scope="col">Meeting date</th>
```

```
3 <th scope="col">Meeting agenda / board packet</th>
```

```
4 <th scope="col">Meeting minutes</th>
```

```
5 <th scope="col">Meeting type</th>
```

```
6 <th scope="col">Meeting date</th>
```

```
7 <th scope="col">Agenda / board packet</th>
```

```
8 <th scope="col">Minutes</th>
```

```
9 <th>Entity</th>
```

```
10 <th>2024 mill levy</th>
```

#	Element	Relevant	Successes	Failures	Score
57	If a table header cell is empty, screen reader users may only hear a generic label such as "column 3" or nothing at all. This makes it harder to understand what each column or row represents.	Yes	30	0	100

Code snapshots of successful elements

```
1 <th scope="col">Meeting type</th>
```

```
2 <th scope="col">Meeting date</th>
```

```
3 <th scope="col">Meeting agenda / board packet</th>
```

```
4 <th scope="col">Meeting minutes</th>
```

```
5 <th scope="col">Meeting type</th>
```

```
6 <th scope="col">Meeting date</th>
```

```
7 <th scope="col">Agenda / board packet</th>
```

```
8 <th scope="col">Minutes</th>
```

```
9 <th>Resolutions</th>
```

```
10 <th>Additional District Documents</th>
```

#	Element	Relevant	Successes	Failures	Score
58	When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout.	Yes	3	1	75

Code snapshots of successful elements

```
1 <table class="has-fixed-layout"> <caption>Metropolitan District No. 2 meeting documents</caption> <thead> <tr> <th scope="col">Meeting type</th> <th scope="col">Meeting date</th> <th scope="col">Meeting agenda / board packet</th> <th scope="col">Meet...
```

```
2 <table class="table"> <caption>Metropolitan District No. 1 meeting documents</caption> <thead> <tr> <th scope="col">Meeting type</th> <th scope="col">Meeting date</th> <th scope="col">Agenda / board packet</th> <th scope="col">Minutes</th> </tr> </thead>
```

```
3 <table class="has-fixed-layout"><thead><tr><th>Entity</th><th>2024 mill levy</th></tr></thead><tbody><tr><th>El Paso County</th><td>6.985</td></tr><tr><th>El Paso County Road and Bridge (Unshared)</th><td>0.330</td></tr><tr><th>El Paso County School ...</th><td></td></tr></tbody></table>
```

Code snapshots of failed elements

```
1 <table class="has-fixed-layout"><thead><tr><th>Resolutions</th><th>Additional District Documents</th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2026/02/2026-01-27-Special-District-Updated-Website-Accessibility-Reso..."></td></tr></tbody></table>
```

#	Element	Relevant	Successes	Failures	Score
59	Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data.	Yes	4	0	100

Code snapshots of successful elements

1 `<table class="has-fixed-layout"> <caption>Metropolitan District No. 2 meeting documents</caption> <thead> <tr> <th scope="col">Meeting type</th> <th scope="col">Meeting date</th> <th scope="col">Meeting agenda / board packet</th> <th scope="col">Meet...`

2 `<table class="table"> <caption>Metropolitan District No. 1 meeting documents</caption> <thead> <tr> <th scope="col">Meeting type</th> <th scope="col">Meeting date</th> <th scope="col">Agenda / board packet</th> <th scope="col">Minutes</th> </tr> </thead> </table>`

3 `<table class="has-fixed-layout"><thead><tr><th>Resolutions</th><th>Additional District Documents</th></tr></thead><tbody><tr><td>`

4 `<table class="has-fixed-layout"><thead><tr><th>Entity</th><th>2024 mill levy</th></tr></thead><tbody><tr><th>El Paso County</th><td>6.985</td></tr><tr><th>El Paso County Road and Bridge (Unshared)</th><td>0.330</td></tr><tr><th>El Paso County School ...`

#	Element	Relevant	Successes	Failures	Score
60	If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	Yes	10	0	100

Code snapshots of successful elements

1 `<th scope="row">Organizational Meeting</th>`

2 `<th scope="row">Organizational Meeting</th>`

3 `<th>El Paso County</th>`

4 `<th>El Paso County Road and Bridge (Unshared)</th>`

5 `<th>El Paso County School District No. 49</th>`

6 `<th>Pikes Peak Library District</th>`

7 `<th>Falcon Fire Protection District</th>`

8 `<th>Cherokee Metropolitan District</th>`

9 `<th>Constitution Heights Metropolitan District</th>`

10 `<th>El Paso County PID #2</th>`

WCAG Best Practices (Not included in score)

#	Element	Relevant	Successes	Failures	Score
1	If an element's aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
2	Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
3	Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience.	Yes	4	0	100

Code snapshots of successful elements

1 `<figure style="margin-bottom:var(--wp--preset--spacing--40);" class="wp-block-post-featured-image"> <table class="has-fixed-layout"> <caption>Metropolitan District No. 2 meeting documents</caption> <thead> <tr> <th scope="col">Meeting type</th> <th scope="col">Meeting date</th> <th scope="col">Meeting agenda / board ...`

3 `<figure class="wp-block-table"><table class="has-fixed-layout"><thead><tr><th>Resolutions</th><th>Additional District Documents</th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2026/02/2026-01-27-Special-District-Upd...`

4 `<figure class="wp-block-table table"><table class="has-fixed-layout"><thead><tr><th>Entity</th><th>2024 mill levy</th></tr></thead><tbody><tr><th>El Paso County</th><td>6.985</td></tr><tr><th>El Paso County Road and Bridge (Unshared)</th><td>0.330</td>...`

#	Element	Relevant	Successes	Failures	Score
4	The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label.	Yes	7	0	100

Code snapshots of successful elements

```
1 <a class="wp-block-navigation-item__content" href="http://wsdistricts.co/" title=""><span class="wp-block-navigation-item__label">Home</span></a>
```

```
2 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/accessibility/" title=""><span class="wp-block-navigation-item__label">Accessibility</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/contact-us/" title=""><span class="wp-block-navigation-item__label">Contact</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/services/" title=""><span class="wp-block-navigation-item__label">Services</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/elections-info/" title=""><span class="wp-block-navigation-item__label">Elections</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/events/" title=""><span class="wp-block-navigation-item__label">Events</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/testimonials/" title=""><span class="wp-block-navigation-item__label">Testimonials</span></a>
```

#	Element	Relevant	Successes	Failures	Score
5	The element's aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
6	It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
7	It's good practice to warn users about the expected behavior when activating a link triggers a mail application.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <a href="mailto:melonie.c@wsdistricts.co">melonie.c@wsdistricts.co</a>
```

#	Element	Relevant	Successes	Failures	Score
8	It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.	Yes	0	19	0

Code snapshots of failed elements

1 `Service Plan`

2 `Wilshire MD Nos. 1 & mp; 2 Boundary Map.`

3 ` District No. 2 – January 27, 2026 Board Packet (PDF) `

4 `District No. 1 Technology Accessibility Statement & Directing Compliance w...`

5 `District No. 2 Technology Accessibility Statement & Directing Compliance w...`

6 `Resolution re CORA Official Custodian Wilshire MD No. 1`

7 `Resolution re CORA Official Custodian Wilshire MD No. 2 `

8 `Resolution re Exclusion of Workers Comp Wilshire MD No. 1`

9 `Resolution re Exclusion of Workers Comp Wilshire MD No. 2 `

10 `Special District Organizational Resolution Wilshire MD No. 1 `

#	Element	Relevant	Successes	Failures	Score
9	The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.	Yes	Pass	-	100

Code snapshots of successful elements

1 `<footer class="wp-block-template-part"> <div class="wp-block-group has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="padding-top:var(--wp--preset--spacing--50);padding-bottom:var(--wp--preset--spacing--50)"> <div c...`

#	Element	Relevant	Successes	Failures	Score
10	When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <footer class="wp-block-template-part"> <div class="wp-block-group has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="padding-top:var(--wp--preset--spacing--50);padding-bottom:var(--wp--preset--spacing--50)"> <div c...
```

#	Element	Relevant	Successes	Failures	Score
11	Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="en-US"><head><meta http-equiv="origin-trial" content="A7vZI3v+Gz7JfuRo1KNM4Aff6zaGuT7X0mf3wtoZTnKv6497cVMnhy03KDqX7kBz/q/iidw7srw31oQbBt4Vhg oAAACUeyJvcmlnaw4i0iJodHRwczovL3d3dy5nb29nbGUuY29t0jQ0MyIsImZlYXR1cmUi0iJEaXNhYmxlVGhpcmRQYXJ0eVNO...>
```

#	Element	Relevant	Successes	Failures	Score
13	Providing a meta viewport to control layout and scaling on mobile devices	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

This audit is subject to the [Terms of Service](#)